

检测报告

ASH20-021043-01

发布日期: 2020年05月25日

客户名称: 江西浣星谷科技有限公司
客户地址: 江西省赣州市章贡区橙乡大道26号嘉福大厦1909室

样品名称: 功能纳米抗菌无纺布
生产商: 江西浣星谷科技有限公司
样品批号: 20200425
生产日期: 2020/4/25
样品其他信息: 能量抗菌无纺布

以上样品及信息由客户提供及确认, SGS不承担证实客户提供信息的准确性、适当性和(或)完整性责任。

样品接收日期: 2020年05月07日
检测周期: 2020年05月07日 - 2020年05月25日
检测要求: 根据客户要求检测
检测方法: 请参见下一页
检测结果: 请参见下一页

除非另有说明, 本检测结果仅与被检测物品有关。仅供客户内部使用, 不对社会具有证明作用。未经检验机构书面同意, 委托人不得擅自使用检测结果进行不当宣传。



扫码查看在线报告



ASH20-021043-01

SGS授权签字人

通标标准技术服务(上海)有限公司

第1页,共3页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Agency and Reference Laboratory

3rd Building, No.889, Yishan Road, Shanghai, China 200233

t 400 - 691 - 0488

f (86-21) 6140 2547

www.sgsgroup.com.cn

中国·上海·宜山路889号3号楼

邮编: 200233

t 400 - 691 - 0488

f (86-21) 6140 2547

sgs.china@sgs.com

检测报告

ASH20-021043-01

发布日期: 2020年05月25日

检测样品描述:

样品编号	SGS样品ID	描述
1	ASH20-021043.001	无纺布

检测结果:

检测要求: 对所送样品进行抗菌性检测

检测方法: GB/T 20944.3-2008 纺织品 抗菌性能的评价第3部分: 振荡法

ASH20-021043-01.001

检测菌种	白色念珠菌 ATCC 10231
接种菌液浓度 (CFU/mL)	1.9×10^4
F	0.8
Wt (CFU/mL)	1.4×10^5
W0 (CFU/mL)	1.8×10^4
Qt (CFU/mL)	4.0×10^4
抑菌率 (%)	71
GB/T 20944.3-2008 评价标准	白色念珠菌抑菌率 $\geq 60\%$
评价	符合

备注:

Wt: 3个对照样18 h振荡接触后烧瓶内的活菌浓度的平均值(CFU/mL)。

W0: 3个对照样0 h接触时间烧瓶内的活菌浓度的平均值(CFU/mL)。

F: 对照样的试验菌增长值。

$F = \lg W_t - \lg W_0$ 。

Qt: 3个抗菌样品18 h振荡接触后烧瓶内的活菌浓度的平均值(CFU/mL)。

检测对照样为100%纯棉布, 由SGS实验室提供。

样品灭菌方式为高压蒸汽灭菌(121 °C, 15 min)。

通标标准技术服务(上海)有限公司

第2页,共3页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Agency and Reference Laboratory

3rd Building, No.889, Yishan Road, Shanghai, China 200233

中国·上海·宜山路889号3号楼 邮编: 200233

t 400-691-0488

t 400-691-0488

f (86-21) 6140 2547

f (86-21) 6140 2547

www.sgsgroup.com.cn

sgs.china@sgs.com

检测报告

ASH20-021043-01

发布日期: 2020年05月25日

样品照片:



该照片只针对SGS原始报告

*** 结束 ***



通标标准技术服务(上海)有限公司

第3页,共3页

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn
中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com



SGS-CSTC Standards Technical Service (Shanghai) Co., Ltd.
Testing Center Agency and Reference Laboratory